Professional Stone

Heating Unit

OPERATING INSTRUCTIONS

Important Safeguards

When using electrical appliances, basic safety precautions should always be followed, including the following:

1. READ ALL INSTRUCTIONS
2. Do not touch hot surfaces. Use handles or knobs.
3. Always plug appliance cord into the wall outlet, then adjust temperature control to the desired temperature. To disconnect, turn control to off, then remove plug from wall outlet.
4. To protect against fire, electrical shock, and personal injury, do not immerse this appliance including plug and cord, in water or other liquid.
5. Close supervision is necessary when any appliance is used by or near children.
6. Unplug from outlet when not in use and before cleaning. Allow to cool completely before putting on or taking off parts and before cleaning.
7. Do not operate any appliance with a damaged cord or plug or after the appliance malfunctions or has been damaged in any manner.
8. Do not use outdoors.
9. Do not let cord hang over the edge of a table or counter, or touch hot surfaces. Never pull on the cord.
10. Do not place on or near a hot gas or electric burner or in a heated oven.
11. Extreme caution must be used when moving an appliance containing hot oil or hot liquids.
12. Do not use appliance for other than its intended use, as described in this manual.

Operating Instructions

Now you are ready to use your professional stone heating unit as part of your hot stone massage treatment.

Step 1 – Place clean stones on bottom of heater pan.

Step 2 – Add enough water to completely submerse stones by at least ½". Adding hot water will speed up the warming process.

Step 3 – Turn Heater dial all the way clockwise to the "Preheat" setting.

Step 4 – Monitor the water temperature by using a quality thermometer. Once desired temperature is reached (Typically between 125 to 150 degrees Fahrenheit), turn temperature dial counter clockwise to the center of the "normal" operating range.

Step 5 – Fine tune temperature from this point by making slight adjustments counterclockwise for cooler temperatures and clockwise for warmer temperatures.

Step 6 –When finished, and prior to cleaning, turn temperature adjustment knob all the way counter clockwise and unplug the heater.

One Year Limited Warranty

This professional stone heater is warranted for one year from date of original purchase against defects in material and workmanship. This warranty does not cover transportation damage, misuse, accident or similar incident. Defective products should be returned, postage prepaid with a description of the defect to:

Massage Warehouse
360 Veterans Parkway
Suite 115
Bolingbrook, IL 60440
800-910-9955

A RMA is required for all returns. Please call customer service to arrange for a RMA Number. Returns arriving without a RMA will be refused.