

Shanghai Intco Medical Supply Co. Ltd
NO. 1299 Hubin Road, Fengxian, Shanghai, 201417, China
Tel: 0086-21-57451159
Fax: 0086-21-57 451877

Material Safety Data Sheet
AMMEX ice packs, product codes:
B503-WIP, FAO-ICE 4X5/JR, FAO-ICE6X9
FAO-ICE6X9/BB

MATERIAL SAFETY DATA

Date: 05/14/2008
Supersedes: 07/23/04

PRODUCT IDENTIFICATION

NAME: Instant Cold Compress
SYNONYMS: instant cold pack, instant ice pack, ice pack
CHEMICAL FAMILY: cold therapy
MOLECULAR FORMULA: Mixture
MOLECULAR WGT.: Mixture

OSHA REGULATED COMPONENTS

COMPONENT	CAS. NO.	%	PEL/TWA	REFERENCE
Ammonium Nitrate	6484-52-2	40-70	//	OSHA/ ACGIH
water	7732-18-5	30-60	//	OSHA/ ACGIH

Fire-Fighting Measures: FLASH POINT: non-sense
MELTING POINT: 169.6C (337.28F)
METHOD: Closed Cup

HEALTH HAZARD INFORMATION

EFFECTS OF OVER EXPOSURE: Effects of overexposure may include irritation of the nose, throat and digestive tract; coughing, nausea, vomiting, diarrhea, abdominal pain, breathing difficulties, and blood disorders (methemoglobinemia).

FIRST AID Measures:

Skin: Remove contaminated shoes and clothing, and flush affected area(s) with large amounts of water. If skin surface is damaged, apply a clean dressing and seek medical attention. If skin surface is not damaged, cleanse affected area(s) thoroughly by washing with mild soap or water. If irritation or redness develops, seek medical attention.

Inhalation (Breathing): If respiratory symptoms or other symptoms of exposure develop, move victim away from source of exposure and into fresh air. If symptoms persist, seek medical attention. If victim is not breathing, clear airway and immediately begin artificial respiration. If breathing difficulties develop, oxygen should be administered by qualified personnel. Seek immediate medical attention.

Ingestion (Swallowing): If swallowed, seek emergency medical attention. If victim is drowsy or unconscious and vomiting, place on left side with the head down and do not give anything by mouth. If victim is conscious and alert and ingestion occurred within the last hour, vomiting should be induced for ingestion of large amounts (more than 5 ounces in an adult) under direction from a physician or poison center. If possible, do not leave victim unattended and observe closely for adequacy of breathing.

For fires beyond the incipient stage, emergency responders in the immediate hazard area should wear bunker gear. When the potential chemical hazard is unknown, in enclosed or confined

spaces, or when explicitly required by DOT, a self-contained breathing apparatus should be worn. In addition, wear other appropriate protective equipment as conditions warrant (see Section 8). Isolate immediate hazard area and keep unauthorized personnel out. Stop spill/release if it can be done with minimal risk. Move undamaged containers from immediate hazard area if it can be done with minimal risk. Water spray may be useful in minimizing or dispersing vapors. Cool equipment exposed to fire with water, if it can be done with minimal risk.

**EXPOSURE
CONTROL METHODS**

Engineering controls are not usually necessary if good hygiene practices are followed. Before eating, drinking, or smoking, wash face and hands thoroughly with soap and water. Avoid unnecessary skin contact. Impervious gloves are recommended to prevent prolonged skin contact. For operations where eye or face contact can occur, eye protection is recommended.

**HAZARD
INFORMATION****FLAMMABLE LIMITS**

(% BY VOL): Not Applicable

AUTO IGNITION TEMP.: Not Available

DECOMPOSITION TEMP.: Not Available

REACTIVITY:

Chemical Stability: Stable under normal conditions of storage and handling. Dry chemical is an oxidizer and may promote combustion in other materials.

Conditions To Avoid: This material may be an oxidizer. Do not heat above 250°F. Do not let dry chemical or solution dry or crystallize in contact with organic, reactive, or combustible materials (see Sections 7).

Incompatible Materials: Avoid contact with reactive, combustible, or organic materials, such as wood, grain, organic chemicals, acids, corrosive liquids, sulfur, flammable liquids, chlorates, permanganates, finely divided materials, charcoal, coke, cork, or sawdust. Avoid contact with other oxidizers. Contact with alkaline materials may liberate ammonia.

Hazardous Decomposition Products: Material will not burn, but if involved in a fire, oxides of nitrogen may be generated. Exposure to heat may liberate ammonia fumes.

Hazardous Polymerization: Will not occur.

**PHYSICAL
PROPERTIES**

Note: Unless otherwise stated, values are determined at 20°C (68°F) and 760 mm Hg (1 atm).

Flash Point: None

Flammable/Explosive Limits (%): LEL/UEL: No data

Autoignition Temperature: No data

Appearance: White solid in water bag

Physical State: solid/Liquid

Odor: None

pH: No data

Vapor Pressure (mm Hg): No data

Boiling Point: No data

Freezing/Melting Point: No data

Solubility in Water: 100%

Specific Gravity: approx 1.3

Evaporation Rate (nBuAc=1): No data

**SPILL OR LEAK
PROCEDURES**

The dry chemical of this material is an oxidizer. Keep all sources of ignition and hot metal surfaces away from spill/release. The use of explosion-proof equipment is recommended. Stay upwind and away from spill/release. Notify person down wind of spill/release, isolate immediate hazard area and keep unauthorized personnel out. Stop spill/release if it can be done

with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant (see Section 8). Prevent spilled material from entering sewers, storm drains, other unauthorized treatment drainage systems, and natural waterways. Dike far ahead of spill for later recovery or disposal. Spilled material may be absorbed into an appropriate absorbent material. Notify appropriate federal, state, and local agencies. Immediate cleanup of any spill is recommended.

WASTE DISPOSAL Disposal must be made in accordance with applicable governmental regulations.

SPECIAL PRECAUTIONS

Handling: Do not enter confined spaces such as tanks or pits without following proper entry procedures such as ASTM D-4276 and 29CFR 1910.146. The use of appropriate respiratory protection is advised when concentrations exceed any established exposure limits (see Section 2 and 8). Wash thoroughly after handling. Do not wear contaminated clothing or shoes. Use good personal hygiene practice.

“Empty” containers retain residue and may be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury or death. Container should be disposed in an environmentally safe manner and in accordance with governmental regulations.

Before working on or in tanks which contain or have contained this material, refer to OSHA Regulations, ANSI Z49.1 and other governmental and industrial references pertaining to cleaning, welding, or other contemplated operations.

Storage: Use and store this material in cool, dry, well-ventilated areas away from heat and all sources of ignition. Post area “No Smoking or Open Flame.” Solution is corrosive to copper, copper alloys, lead, and zinc. Store to avoid contact with incompatible materials such as ordinary combustibles, flammable liquids, greases, and those materials, including other oxidizers, that could react with the oxidizer or catalyze its decomposition (see Section 10). Prohibit accumulation of combustible waste in storage areas. Combustible construction materials that may be in contact with oxidizers shall be protected with a compatible coating to prevent impregnation of the combustible materials by the oxidizers. Protect container(s) against physical damage.

D.O.T. SHIPPING INFORMATION

PROPER SHIPPING
NAME:

CONSUMER COMMODITY

HAZARD CLASS:

ORM-D

UN/NA:

NOT APPLICABLE

SUBSTANCES:

Ammonium Nitrate (120g 50%)
Water (120g 50%)

LABEL REQUIRED:

NOT APPLICABLE

NOT AN ACCEPTABLE CLASSIFICATION WHEN USING IATA DANGEROUS GOODS REGULATIONS

TSCA INFORMATION

This product is manufactured in compliance with all provisions of the Toxic

Substances Control Act, 15 U.S.C.

TOXICOLOGICAL INFORMATION

No definitive information available on carcinogenicity, mutagenicity, target organs or developmental toxicity.

Disposal

This material, if discarded as produced, may be a RCRA “characteristic” hazardous waste due to the

Consideration: characteristic(s) of ignitability (D001). If the material is spilled to soil or water, characteristic testing of the contaminated materials is recommended. To assure proper disposal, consult with state and local regulations and disposal authorities.

REGULATORY INFORMATION

This material contains the following chemicals subject to the reporting requirements of **SARA 313** and 40 CFR 372.

<u>COMPONENT</u>	<u>CAS NUMBER</u>
Ammonia (includes anhydrous ammonia and aqueous ammonia from water dissociable ammonium salts and other sources; 10 percent of total aqueous ammonia is reportable under this listing)	7446-41-7
Water dissociable nitrate compounds	None

Warning: This material contains the following chemicals which are known to the State of California to cause cancer, birth defects or other reproductive harm, and are subject to the requirements of **California Proposition 65** (CA Health & Safety Code Section 25249.5)

This material has not been identified as a carcinogen by NTP, IARC, or OSHA.

**PRODUCT CLASSIFICATION UNDER SECTION 311 OF SARA
NOT APPLICABLE UNDER SARA TITLE III**

This information is given without any warranty or representation. We do not assume any legal responsibility for same, nor do we give permission, inducement, or recommendation to practice any patented invention without a license. It is offered solely for your consideration, investigation and verification. Before using any product read its label.

MATERIAL SAFETY DATA SHEET
#1303
BZK ANTISEPTIC TOWELETTE

Section I -- Product Identification

Product/Trade Name: BZK Antiseptic Towelette D 35100
Hazard Rating (NFPA): Health: 0
Flammability: 0
Reactivity: 0
Specific: None
Emergency or Information Phone No.: 914-365-1700 (M-F Daytime)
At other times, contact the local Poison Control Center
Chemical Name: Mixture

Section II -- Hazardous Ingredients Per 29 CFR 1910.1200

HAZARDOUS INGREDIENTS	CAS NUMBER	%	ACGIH-TLV
None	-----	No components over 1% of formulation	-----

Section III -- Physical/Chemical Characteristics

Color/Odor/Appearance: Applicator saturated with clear liquid
Boiling Point: N/A
Flash Point: N/A
Vapor Density: N/A
Evaporation Rate: N/A
Solubility in Water: Complete
Specific Gravity (H₂O=1): 1.0

Section IV -- Fire and Explosion Hazard Data

Flash Point (Method Used): N/A LEL: N/A UEL: N/A
Extinguishing Media: Any
Special Firefighting Procedures: None
Unusual Fire and Explosion Hazards: None

Section V -- Reactivity Data

Stability: Stable
Conditions to avoid: None known
Incompatibility: Anionic surfactants/soaps
Hazardous Decomposition of Byproducts: None

Polymerization: Will not occur

Section VI -- Health Hazard Data

Effects of Overexposure:

Skin: None
Eyes: May cause discomfort
Inhalation: None
Ingestion: None

Emergency and First Aid Procedures:

Skin Contact: Discontinue use if rash or irritation occurs.
Eye Contact: Flush with cold water if splashed in eyes.
Inhalation: None
Ingestion: None
Target Organs: None

Section VII -- Spill and Disposal Procedure

Spill Control: Rinse into sewer system.
Waste Disposal Method: Follow local, state and federal regulations.
Handling and Storage: None

Section VIII -- Control Measures/Protection

Respiration: None
Ventilation: None
Protective Gloves: None
Eye Protection: If splash potential exists
Hygienic Practices: Good housekeeping practices should be followed.
Other: None

Section IX -- Transport/Shipping

DOT Shipping Name:
Technical Shipping Name:
DOT Shipping Classification: DOT not regulated
DOT ID Number:
DOT Label Requirements:
UN/NA Number Regulations:
Reportable Quantity:

Disclaimer:

The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty,

expressed or implied, is made and Dynarex Corporation assumes no legal responsibility or liability resulting from its use.



Executive Headquarters: 10 Glenshaw Street, Orangeburg, NY 10962
Phone: (845) 365-8200 • Toll Free: (888) 335-7500 • (888) DYNAREX
Fax: (845) 365-8201 • Email: sales@dynarex.com • www.dynarex.com

MATERIAL SAFETY DATA SHEET

May be used to comply with OSHA's Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.	HMIS HAZARD RATING		
SAFETEC OF AMERICA	HEALTH	2	0 = INSIGNIFICANT 3 = HIGH
	FLAMMABILITY	3	1 = SLIGHT 4 = EXTREME
	REACTIVITY	0	2 = MODERATE
TRANSPORTATION INFORMATION			
PROPER SHIPPING NAME	Solids containing flammable liquid, n.o.s. (Ethanol)		
HAZARD CLASS / PKG. GRP.	4.1 / II	IATA	Special Provision A46
IDENTIFICATION NUMBER	UN3175	US DOT	Special Provision 47

SECTION 1 - PRODUCT / COMPANY IDENTIFICATION

IDENTITY (AS USED ON LABEL AND LIST)	Page 1 of 2
First Aid Only Insect Sting Relief - Towelette	
MANUFACTURER'S NAME Safetec of America, Inc.	EMERGENCY TELEPHONE NUMBER (24 Hours) (800) 255-3924
ADDRESS (NUMBER, STREET, P.O. BOX) 887 Kensington Avenue @ William L. Gaiter Pkwy.	TELEPHONE NUMBER FOR INFORMATION (716) 895-1822
(CITY, STATE AND ZIP CODE) Buffalo, NY 14215	DATE PREPARED October 11, 2006 SUPERSEDES NA

SECTION 2 - HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

HAZARDOUS COMPONENTS (SPECIFIC CHEMICAL IDENTITY; COMMON NAME(S))	CAS #	% (wt.) (OPTIONAL)	OSHA PEL/STEL		ACGIH TLV/TWA/STEL	
			PPM	MG/M ³	PPM	MG/M ³
Ethyl Alcohol	64-17-5		1000 (PEL)		1000 (TLV)	
Lidocaine HCl	6108-05-0	2	None Established		None Established	
Menthol	2216-51-5		None Established		None Established	

This product is not known to contain a substance subject to Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) and 40 CFR 372 at or above minimal amounts.

SECTION 3 - HEALTH HAZARD DATA

ROUTES OF ENTRY - SIGNS AND SYMPTOMS OF EXPOSURE	EMERGENCY AND FIRST AID PROCEDURES
EYES: Brief contact may cause mild irritation; prolonged contact may cause moderate irritation associated with redness.	Flush eyes with clear running water for a minimum of 15 minutes while holding eyelids open; if irritation persists, seek medical attention.
INHALATION: Brief (minutes) inhalation will not cause adverse effects; prolonged and constant inhalation may cause irritation to the upper respiratory tract.	If irritation occurs, remove to fresh air and provide oxygen if breathing is difficult; seek medical attention if required
SKIN: Prolonged or repeated skin contact may cause mild irritation.	If irritation occurs, flush with clear running water for a minimum of 15 minutes; if irritation persists, seek medical attention.
INGESTION: Small amounts swallowed incidental to normal handling are not likely to cause injury. Swallowing larger amounts may cause injury.	DO NOT induce vomiting; seek immediate medical attention.
HEALTH HAZARDS (ACUTE AND CHRONIC): Acute effects are possible irritation and discomfort; chronic effects are possible with the ingestion of large amounts to the nervous system. Do not use on abraded skin.	
CARCINOGENICITY	NTP? No IARC MONOGRAPHS? No OSHA REGULATED? No
No additional information	
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Preexisting skin, eye or respiratory disorders may become aggravated through prolonged exposure.	

MATERIAL SAFETY DATA SHEET

IDENTITY (AS USED ON LABEL AND LIST)

First Aid Only Insect Sting Relief - Towelette

Page 2 of 2

Date: October 11, 2006

SECTION 4 - FIRE FIGHTING MEASURES

FLASH POINT (TOC) 15.7°C	FLAMMABLE LIMITS (% Volume in Air for Lowest Flashing Component) LEL: 3.3 UEL: 19
-----------------------------	--

EXTINGUISHING MEDIAdry chemicals, alcohol-type or all-purpose foam, CO₂**SPECIAL FIRE FIGHTING PROCEDURES**

DO NOT enter confine fire space without full bunker gear (Helmet with face shield, bunker coats, gloves and rubber boots. Wear NIOSH/MSHA approved self contained breathing apparatus. Cool fire exposed containers with water. A water spray may be used to dispense vapors; re-ignition is possible.

UNUSUAL FIRE AND EXPLOSIVE HAZARDS

Flammable liquid. Concentrated vapors may be flammable.

SECTION 5 - PRECAUTIONS FOR SAFE HANDLING AND USE / LEAK PROCEDURES**STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED**

Small spills may be flushed with large amounts of water; larger spills should be collected with approved absorbent for disposal.

WASTE DISPOSAL METHODS

Dispose of in accordance with Local, State, and Federal regulations. Products classified as non-hazardous may become hazardous waste upon contact with other products. Refer to "40 CFR Protection of Environment Parts 260-299" for complete waste disposal regulations. Consult your Local, State, or Federal Environmental Protection Agency before disposing of any chemicals.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE

Keep container(s) tightly closed when not in use. Store in cool, dry area away from possible sources of ignition. Keep this and other chemicals out of reach of children.

SECTION 6 - EXPOSURE CONTROLS / PERSONAL PROTECTION**RESPIRATORY PROTECTION**

Ordinarily, none required

VENTILATIONLOCAL EXHAUST: Required
MECHANICAL (GENERAL): No**PROTECTIVE GLOVES**

Ordinarily, none required

EYE PROTECTION

Ordinarily, none required

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

Ordinarily, none required

WORK / HYGIENIC PRACTICES

Practice safe work habits. Use according to label instructions.

SECTION 7 - PHYSICAL / CHEMICAL PROPERTIES**BOILING POINT**

173°F (Based on Ethyl Alcohol)

SPECIFIC GRAVITY (WATER=1)

0.92

VAPOR PRESSURE (mm Hg)

Not Determined

MELTING POINT

Not applicable

VAPOR DENSITY (AIR=1)

Not Determined

pH

Approximately 4.3

SOLUBILITY IN WATER

Complete to moderate

EVAPORATION RATE (n-BUTYL ACETATE=1)

Not Determined

APPEARANCE AND ODOR

Clear liquid.

% VOLATILES (BY WEIGHT)

Not Determined

SECTION 8 - STABILITY AND REACTIVITY**STABILITY**UNSTABLE:
STABLE: XXX**CONDITIONS TO AVOID**

Extreme temperatures; sources of ignition

INCOMPATIBILITIES (MATERIALS TO AVOID)

Strong oxidizing/reducing agents


HAZARDOUS DECOMPOSITION OR BYPRODUCTS

Decomposition will not occur if handled / stored properly. Thermal decomposition may produce carbon monoxide, small amounts of nitrogen oxides, halogenated compounds or propionaldehyde may also be formed.

HAZARDOUS POLYMERIZATION MAY OCCUR:

WILL NOT OCCUR: XXX

The information contained herein is believed to be accurate but is not warranted to be so. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.



Material Safety Data Sheet
PROGRESSIVE PRODUCTS, LLC
4 International Drive, Suite 224
Rye Brook, NY 10573

Health	0
Fire	0
Reactivity	0
Personal Protection	

Section I-Product Information

TRADE NAME :
First Aid Only BZK First Aid Antiseptic
Towelette

**FOR INFORMATION OR IN AN EMERGENCY
CALL:**
914-417-6022

Section II—Active Ingredients/Identity Information

Active Ingredient: Benzalkonium chloride **% in product:** 0.13% **CAS Number:** 8001-54-5

Section III—Physical/Chemical Characteristics

Boiling Point: N/A	Specific Gravity (H₂O = 1): 0.98
Melting point: N/A	Melting Point: N/A
Vapor Density (AIR = 1): N/A	Evaporation Rate (Butyl Acetate = 1): d/A

Solubility in Water: Soluble

Appearance and Odor: Colorless to light yellow in aqueous solution

Section IV—Fire and Explosion Hazard Data

Flash Point: 104 deg. F.	Flammable Limits: 2 2 = Moderate	Health: 1 1 = slight	Reactivity: 0 0 = minimal
---------------------------------	--	--------------------------------	-------------------------------------

Extinguishing Media: Water spray/ all-purpose dry chemical, carbon dioxide

Section V—Reactivity Data

Stability: Stable **Conditions to Avoid:** None known

Incompatibility: Strong oxidizing agents

Hazardous Decomposition or Byproducts: Carbon dioxide, carbon monoxide, hydrogen chloride gas

Hazardous Polymerization: Will not occur **Conditions to Avoid:** None known

Section VI—Health Hazard Data

Health Hazards:

Skin: Discontinue use if rash or irritation occurs. May cause skin irritation upon prolonged and excessive contact.

Eyes: Direct ocular exposure may cause eye irritation, but no permanent eye injury is expected.

Inhalation: Avoid direct inhalation. Use with adequate ventilation.

Swallowing: May be harmful if swallowed.

Emergency and First Aid Procedures:

Skin Contact: Remove clothing near area. Wash exposed area with soap and cold water. If irritation persists, seek medical attention.

Eye Contact: Remove contact lenses. Flush eye area for 15 minutes with large concentrations of water. If irritation persists, obtain medical advice.

Inhalation: Move to fresh air. Loosen collar or shirt. Seek medical advice if breathing difficulties occur.

Swallowing: Drink several glasses of milk or water. Do not induce vomiting. Never give anything by mouth to an unconscious person.

Section VII—Precautions for Safe Handling and Use

Steps to Be Taken in Case Material Is Released or Spilled: Not Applicable

Waste Disposal Method:

Small quantities generated by consumers may be disposed of in a sanitary sewer with large quantities of water. Empty containers generated by a consumer may be disposed of as conventional waste.

Any disposal practice must be in compliance with local, state and federal laws and regulations (contact local or state environmental agency for specific rules).

Handling and Storing:

Store in a cool, dry place away from flame.

Section VII—Control Measures

Respiratory Protection: NA with adequate ventilation.

Protective Gloves: NA

Eye Protection: Safety glasses

Section VIII —Transportation/ Shipping

This product is not regulated as a DOT hazardous material.

Section IX —Disclaimer

THE INFORMATION IN THIS MSDS WAS OBTAINED FROM CURRENT AND REPUTABLE SOURCES. HOWEVER, THE DATA IS PROVIDED WITHOUT ANY WARRANTY, EXPRESS, OR IMPLIED, REGARDING ITS CORRECTNESS OR ACCURACY. IT IS THE USER'S RESPONSIBILITY TO DETERMINE SAFE CONDITION FOR USE OF THIS PRODUCT AND TO ASSUME LIABILITY FOR LOSS, INJURY, DAMAGE, OR EXPENSE RESULTING FROM IMPROPER USE OF THIS PRODUCT

Micki Lehman

From: Joe Sutedjo [jsutedjo@kc-ph.com]
Sent: Thursday, May 22, 2008 2:25 PM
To: Tim Edman
Subject: MSDS exemption

Tim,

KC Pharmaceuticals products supplied to First Aid Only is exempt from MSDS requirements as per 29CFR 1910.1200 section (b)(6)(vii).

The items are as follow:

1. Eye Wash 4oz (9SALP0401MC)
2. Eye Drops Regular 1/2oz (9EDRG0051MC)
3. Eye Drops Advanced Relief 1/2oz (9EDAR0051MC)

Please let me know if you have any questions.

Regards,

Joe Sutedjo
KC Pharmaceuticals

Joseph Sutedjo
President
KC Pharmaceuticals, Inc.
Phone: (909) 598 9499 ext. 12
Fax: (909) 595 9332
E-mail: jsutedjo@kc-ph.com

=====
This email message and any attachments are for the sole use of the intended recipient(s) and may contain information that is proprietary to KC Pharmaceuticals or otherwise confidential or legally privileged, and protected from disclosure, copying and distribution. If you have received this transmission in error, please notify the sender immediately by replying to this transmission, and delete all copies of this message and any attachments.

MATERIAL SAFETY DATA SHEET

PDI - PROFESSIONAL DISPOSABLES, INC
THE HEALTHCARE DIVISION OF
NICE-PAK PRODUCTS, INC
TWO NICE-PAK PARK
ORANGEBURG NY 10962-1376
845-365-1700



REVISION DATE: 7/03

I. PRODUCT IDENTIFICATION

PRODUCT/TRADE NAME: BZK ANTISEPTIC TOWELETTE D35100

HAZARD RATING (NFPA)

HEALTH: 0
FLAMMABILITY: 0
REACTIVITY: 0
SPECIFIC: NONE

EMERGENCY OR INFORMATION TELEPHONE NO: 845-365-1700 (M-F DAYTIME) AT OTHER TIMES, CONTACT THE LOCAL POISON CONTROL CENTER

CHEMICAL NAME: MIXTURE

II HAZARDOUS INGREDIENTS

PER 29 CFR 1910.1200

<u>Hazardous Ingredients</u>	<u>%</u>	<u>ACGIH TLV</u>	<u>CAS NUMBER</u>
------------------------------	----------	------------------	-------------------

NONE. NO COMPONENTS OVER 1% OF FORMULATION

III PHYSICAL/CHEMICAL CHARACTERISTICS

COLOR/ODOR/APPEARANCE: TOWELETTE SATURATED WITH CLEAR, COLORLESS LIQUID.

BOILING POINT: N/A
FLASH POINT: NOT APPLICABLE
VAPOR DENSITY: N/A
EVAPORATION RATE: N/A
SOLUBILITY IN WATER: COMPLETE

SPECIFIC GRAVITY (H₂O = 1): 1.0

IV FIRE & EXPLOSION HAZARD DATA

FLASH POINT(Method Used): NOT APPLICABLE LEL: N/A UEL: N/A
EXTINGUISHING MEDIA: ANY
SPECIAL FIRE FIGHTING PROCEDURES: NONE
UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE

V-REACTIVITY DATA

STABILITY: STABLE
CONDITIONS TO AVOID: N/A
INCOMPATIBILITY: ANIONIC SURFACTANTS/SOAPS
HAZARDOUS DECOMPOSITION OR BYPRODUCT: NONE
POLYMERIZATION: WILL NOT OCCUR
CONDITIONS TO AVOID: NONE

BZK TOWELETTE

VI-HEALTH HAZARD DATA

EFFECTS OF OVER EXPOSURE:

SKIN NONE

EYES : MAY CAUSE DISCOMFORT

INHALATION: NONE

INGESTION NONE

EMERGENCY AND FIRST AID PROCEDURES:

SKIN CONTACT: DISCONTINUE USE IF RASH OR IRRITATION OCCURS

EYE CONTACT: FLUSH WITH COLD WATER IF SPLASHED IN EYES

INHALATION: NONE

INGESTION: NONE

TARGET ORGANS; NONE

VII-SPILL AND DISPOSAL PROCEDURE

SPILL CONTROL: RINSE INTO SEWER SYSTEM

WASTE DISPOSAL METHOD: FOLLOW LOCAL STATE AND FEDERAL REGULATIONS.

HANDLING AND STORAGE: NONE

VIII-CONTROL MEASURES/PROTECTION

RESPIRATION: NONE.

VENTILATION: NONE.

PROTECTIVE GLOVES: NONE

EYE PROTECTION: IF SPLASH POTENTIAL EXISTS

HYGIENIC PRACTICES:GOOD HOUSEKEEPING PRACTICES SHOULD BE FOLLOWED.

OTHER: NONE

IX TRANSPORT/SHIPPING

DOT SHIPPING NAME:

TECHNICAL SHIPPING NAME:

DOT SHIPPING CLASSIFICATION: DOT Not Regulated

DOT ID NO.:

DOT ;LABEL; REQUIREMENTS:

UN/NA NUMBER REGULATIONS:

REPORTABLE QUANTITY:

X DISCLAIMER

THE INFORMATION FURNISHED HEREIN IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST DATA CURRENTLY AVAILABLE TO US. NO WARRANTY, EXPRESSED OR IMPLIED IS MADE AND NICE-PAK PRODUCTS, INC. ASSUMES NO LEGAL RESPONSIBILITY OR LIABILITY RESULTING FROM ITS USE.